

Product information sheet

Nautile DG.

An improved WDG formulation of Cymoxanil + Mancozeb for Blight control in potatoes.

The difference is clear – quicker dispersion with Nautile



Nautile DG



Cymoxanil+Mz WP

Nautile DG – NEW for 2007 (10 kg pack)

Has all the benefits of cymoxanil+mancozeb but with less dust
Contains 5% w/w Cymoxanil and 68% w/w Mancozeb

Use rate 1.8 kg/ha – more concentrated than other cymoxanil+mz formulations

Multi-site and translaminar activity against blight with 2-3 days post infection curative activity – no documented cases of resistance to blight in UK populations of blight – suited for use in programmes during the established canopy phase.

7 day minimum spraying interval, can be extended to 10 or 14 days under lower blight pressure conditions.

No minimum harvest interval, so can be used up to the end of the Blight programme

No specific LERAP restriction (Cat C)

Details of application timings and rates are detailed in Nufarm Labels and Product Literature; both of which can be accessed from our web site at this web site.

Alternatively ring the Nufarm helpline on 0208 3197232, Monday-Friday 9 am - 5 pm.

Always read the label: use pesticides safely

Nufarm UK Ltd • Crabtree Manorway North • Belvedere • Kent • DA17 6BQ
Tel: 020 8319 7232 www.nufarm.co.uk

