



Australian Government

**Australian Pesticides and
Veterinary Medicines Authority**

PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

PERMIT NUMBER - PER9255

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 22 DECEMBER 2006 TO 30 JUNE 2011.

Permit Holder:

AgAware Consulting Pty Ltd acting on behalf of Horticulture Australia Ltd
21 Rosella Avenue
STRATHFIELDSAYE VIC 3551

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Crop	Disease	Products	Rate	Critical Comments
Almonds	Blossum Blight (<i>Monilinia laxa</i>) Anthracnose (<i>Coltotrichum acutatum</i>)	NUFARM BUMPER 250EC FUNGICIDE TILT 250 EC SYSTEMIC FUNGICIDE plus OTHER REGISTERED PRODUCTS Containing: 250 g/L PROPICONAZOLE as their only active constituent	25-50mL product per 100L Water Refer to approved label for directions on dilute and concentrate spraying	Apply in a program with other fungicides approved for anthracnose control in almonds. Apply at pink bud, full bloom, petal fall and at 2-3 and 4-6 weeks post petal fall using the shorter intervals under heavy disease pressure. Further sprays may be required during the season if conditions are conducive to disease. DO NOT apply more than 4 applications per season. DO NOT apply after hull split. Apply via orchard ariblast/mister sprayers.
		PROPIMAX FUNGICIDE plus OTHER REGISTERED PRODUCTS Containing: 435 g/L PROPICONAZOLE as their only active constituent	15-30mL product per 100L Water Refer to approved label for directions on dilute and concentrate spraying	
		NUFARM THROTTLE 500 FUNGICIDE plus OTHER REGISTERED PRODUCTS Containing: 500 g/L PROPICONAZOLE as their only active constituent	12.5-25mL product per 100L Water Refer to approved label for directions on dilute and concentrate spraying	
Celery	Septoria Spot (<i>Septoria apiicola</i>) Early Blight (<i>cercospora apii</i>)	NUFARM BUMPER 250EC FUNGICIDE TILT 250 EC SYSTEMIC FUNGICIDE plus OTHER REGISTERED PRODUCTS Containing: 250 g/L PROPICONAZOLE as their only active constituent	Apply 50mL product per 100L water or OR 500mL product/ha	Spray at the first sign of disease. As required, re-treatment may be applied to the crop with a minimum of 7 day spray interval.cont cond. DO NOT apply more than 3 applications per crop. Apply by boom spray according to industry standard. Avoid application of propiconazole to young celery plants, as it may cause phtyotoxicity (stunted plants).
		PROPIMAX FUNGICIDE plus OTHER REGISTERED PRODUCTS Containing: 435 g/L PROPICONAZOLE as their only active constituent	Apply 30mL product per 100L water OR 290mL product/ha	
		NUFARM THROTTLE 500 FUNGICIDE plus OTHER REGISTERED PRODUCTS Containing: 500 g/L PROPICONAZOLE as their only active constituent	Apply 25mL product per 100L water OR 250mL product/ha	

Withholding Period:

Almonds and Celery: DO NOT harvest for 14 days after application.

Jurisdiction:

ACT, NSW, QLD, SA, TAS, NT and WA only.

[Note: Victoria is not included in this permit because their 'control-of-use' legislation means that a permit is not required to legalise this off-label use in VIC]

Additional Conditions:

THIS PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

Issued by

Delegated Officer

Version 3. Permit amended on October 19, 2009, to include additional registered propiconazole products.