



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW EMERGENCY USE  
OF A REGISTERED AGVET CHEMICAL PRODUCT**

**FOR THE CONTROL OF SCLEROTINIA IN  
BRASSICAS, BRASSICA LEAFY VEGETABLES, LETTUCE AND BEANS**

**PERMIT NUMBER –PER10276**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 1 FEBRUARY 2010 TO 31 JANUARY 2013.**

**Permit Holder:**

AUSVEG - C/O AGAWARE CONSULTING PTY LTD  
21 Rosella Avenue  
STRATHFIELDSAYE VIC 3551

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

**Product to be used:**

NUFARM FILAN FUNGICIDE

Containing: 500 g/kg BOSCALID as its only active constituent.

**Directions for Use:**

Crops	Disease	Rate
BRASSICAS  BRASSICA LEAFY VEGETABLES (refer to those crops listed in Attachment 1)  LETTUCE  BEANS - GREEN PODS AND IMMATURE SEEDS ( <i>Phaseolous</i> spp.).	SCLEROTINIA ROT ( <i>Sclerotinia</i> spp.)	Apply at a rate of 800-1000 grams product per hectare.

**Critical Use Comments:**

BRASSICA & BRASSICA LEAFY VEGETABLES.

- Apply prior disease development and make a repeat application following an interval of 7 to 14 days.
- DO NOT apply more than 2 applications of Nufarm Filan Fungicide per crop.
- Use the higher rate and shorter interval when disease pressure is high.

LETTUCE

- Apply via a boom spray.
- Make the first application immediately after either:
  - Emergence for direct-seeded crops, or
  - After planting for transplanted crops, or
  - prior to the onset or development of disease.
- A second application may be required if conditions favor disease development, or if soil surface is disturbed by cultivation.
- DO NOT apply more than 2 applications of Nufarm Filan Fungicide per crop.
- DO NOT apply consecutive applications within 7 days.

BEANS

- Apply via a boom spray with first application at early flowering and subsequent applications at 7-10 day intervals.
- DO NOT apply more 3 applications of Nufarm Filan Fungicide per crop.

**Withholding Periods:**

BRASSICA AND BRASSICA LEAFY VEGETABLES - DO NOT harvest for 7 days after application.

LETTUCE - DO NOT harvest for 14 days after application

BEANS - DO NOT harvest for 7 days after application.

**Export Slaughter Interval:**

Livestock that have been grazing on or fed treated crops should be placed on clean feed for 14 days (2 weeks) prior to slaughter for export.

**Jurisdiction:**

All states except Victoria.

(Note: Victoria is not included in this permit because their 'control-of-use' legislation means that a permit is not required to legalise this off-label use in VIC).

**Additional Conditions:****General conditions**

This Permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

**Export of treated produce**

To allow produce from treated plants to be supplied or otherwise made available for consumption the APVMA has established the following Maximum Residue Limits (MRL) for the following commodities:

- T15mg/kg for Boscalid in lettuce head [VL0482] and lettuce leaf [VL 0483]
- T 3mg/kg for Boscalid in Beans (except broad and soya) [VP 0061],
- T2mg/kg for Boscalid in Brassica (cole or cabbage) vegetables, Head cabbages, flowerhead brassicas [VB 400] and
- T30mg/kg for Boscalid in Brassica leafy vegetables [VL0054].

These limits only apply to produce marketed and consumed in Australia. Therefore if treated produce is to be exported, due account should be taken of the residue definition and residue limits/import tolerances of importing countries and that any residues must not exceed those requirements of the importing country.

Issued by

Delegated Officer

ATTACHMENT 1

Brassica leafy vegetables covered by this permit are:

<b>Asian names</b>	<b>Common names</b>	<b>Scientific names</b>
<b>Bok choy</b>	<b>Chinese white cabbage</b> Chinese chard	<i>B. rapa var chinensis</i> <i>B. chinensis var communis</i>
Pak choy	Chinese white cabbage Chinese chard	<i>B. rapa var chinensis</i> <i>B. sinensis</i>
Choi sum	Chinese flowering cabbage	<i>B. rapa var parachinensis</i> <i>B. campestris var parachinensis</i>
Gai lum Gai lan Kai lan	Chinese broccoli	<i>B. oleraceae var alboglabra</i>
Kai choi	Indian mustard cabbage	<i>B. juncea</i>
Wong bok Pet sai Haksukai	Chinese cabbage	<i>B. rapa var pekinensis</i>
Mizuna	Mizuna greens	<i>B. rapa var japonica</i>
Amsoi	Red mustard	<i>B. juncea var rugosa</i>
Taishona	Curled mustard	<i>B. juncea</i> variety unknown
Komatsuma	Mustard spinach	<i>B. pervirdes</i>
Tatsoi	Chinese flat cabbage	<i>B. rapa var rosularis</i>
Gai choy Kai choi Am soi	Chinese mustard Indian mustard	<i>B. juncea var rugosa</i>
Unknown	Turnip greens	<i>B. rapa var rapa</i>
Unknown	Mustard greens	<i>B. juncea</i> unknown variety
Unknown	Rutabaga greens	Unknown
Mibuna	Unknown	<i>B. rapa var nipposinica</i>
Kale	Unknown	<i>B. oleracea convarcephala var acphala</i>