



**PERMIT TO ALLOW EMERGENCY USE  
OF A REGISTERED AGVET CHEMICAL PRODUCT**

**PERMIT NUMBER -PER8819**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 10 OCTOBER 2005 TO 31 OCTOBER 2009.**

**Permit Holder:**

**AUSVEG - C/O AGAWARE CONSULTING PTY LTD  
21 Rosella Avenue  
STRATHFIELDSAYE VIC 3551**

**Persons who can use the product under this permit:**

Persons generally.

**CONDITIONS OF USE**

**Product to be used:**

FILAN FUNGICIDE

Containing:500 g/kg BOSCALID as the only active constituent.

**Directions for Use:**

<b>Crop</b>	<b>Pest</b>	<b>Rate</b>
BRASSICAS & BRASSICA LEAFY VEGETABLES	SCLEROTINIA ROT (SCLEROTINIA SPP). & S. MINOR	Apply at a rate of 800-1000 grams product per hectare
LETTUCE	SCLEROTINIA ROT (SCLEROTINIA SPP). & S. MINOR	Apply at a rate of 800-1000 grams product per hectare
BEANS - GREEN PODS AND IMMATURE SEEDS (phaselous spp.)	SCLEROTINIA ROT (SCLEROTINIA SPP).	Apply at a rate of 800-1000 grams product per hectare

**Critical Use Comments:**

BRASSICA & BRASSICA LEAFY VEGETABLES.

- Apply prior disease development and make a repeat application following an interval of 7 to 14 days. DO NOT apply more than 2 applications of Filan fungicide per crop.
- Use the higher rate and shorter interval when disease pressure is high.

LETTUCE

Apply via a boom spray.

**Application Directions:**

Make the first application immediately after either:

- Emergence for direct-seeded crops, or
- After planting for transplanted crops,
- OR prior to the onset or development of disease.

A second application may be required if conditions favor disease development, or if soil surface is disturbed by cultivation. Do not apply consecutive applications within 7 days.

BEANS

- Apply via a boom spray with first application at early flowering and subsequent applications at 7-10day intervals.
- Do NOT apply more 3 applications of Filan fungicide per crop.

**Withholding Period:**

BRASSICA AND BRASSICA LEAFY VEGETABLES

Do NOT harvest for 7 days after application.

LETTUCE – Do NOT harvest for 14 days after application

BEANS - Do NOT harvest for 7 days after application.

**Jurisdiction:**

ALL States (except Victoria as this is not a requirement under control of use legislation in Victoria).

## **Additional Conditions:**

### **General conditions**

THIS PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

### **Export of treated produce**

To allow produce from treated plants to be supplied or otherwise made available for consumption the APVMA has established the following Maximum Residue Limits (MRL) for the following commodities:

T2mg/kg for Boscalid in Brassica (cole or cabbage) vegetables, Head cabbages, flowerhead brassicas [VB 400] and T10mg/kg for Brassica leafy vegetables [VL0054].

T 2 mg/kg for boscalid in lettuce head [VL0482] and lettuce leaf [VL 0483}

T 3mg/kg for boscalid in Beans (except broad and soya) [VP 0061]

This limit only applies to produce marketed and consumed in Australia. Therefore if treated produce is to be exported, due account should be taken of the residue definition and residue limits/import tolerances of importing countries and that any residues must not exceed those requirements of the importing country.

Issued by

Delegated Officer