



**Australian Pesticides &  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT**

**PERMIT NUMBER -PER7197**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 28 MAY 2004 TO 30 NOVEMBER 2006.**

**Permit Holder:**  
**JAMES HILLS**  
**175 Allport Street East**  
**LEITH TAS 7315**

**Persons who can use the product under this permit:** Persons generally.

**CONDITIONS OF USE**

**Products to be used:**

SPIN FLO SYSTEMIC FUNGICIDE  
BASF BAVISTIN FL SYSTEMIC FUNGICIDE  
CHEMAG CARBENDAZIM 500 SC FUNGICIDE  
or OTHER REGISTERED PRODUCTS  
Containing: 500 g/L (or 500 g/kg) CARBENDAZIM as it's only active constituent.

**Directions for Use:**

<b>Crop</b>	<b>Pest</b>	<b>Rate</b>
ONION SEED	NECK ROT ( <i>Botrytis allii</i> )	Wet onion seed with methyl cellulose adhesive at the rate of 25 g per 500 mL of water. Use 6 mL of this solution per kg of seed. Apply Carbendazim product at the rate of 2 mL (or 2 g) per kg of seed and mix thoroughly to ensure complete coverage.

**Critical Use Comments:** Before use, ensure the safety directions below are adhered to.  
Treated onion seeds not used for sowing must be destroyed.

**Withholding Period:**

Onion seed: Not required when used as directed.

**Safety Directions:**

Poisonous if inhaled, absorbed by skin contact or swallowed. Will irritate the eyes and skin. Repeated exposure may cause allergic reactions. Avoid contact with eyes and skin. Do not inhale dust or spray mist. When opening the container and preparing the spray wear cotton overalls buttoned to the neck and wrist and elbow length PVC gloves, goggles and a half face piece respirator. When using the prepared spray wear cotton overalls buttoned to the neck and wrist and elbow length PVC gloves, goggles and a half face piece respirator. If product on skin wash area immediately with water. If product in eyes, wash out immediately with water. Avoid re-entry for 12 hours after use in glasshouse or other confined spaces. If re-entering, wear all protective clothing including respirator. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, goggles, contaminated clothing and respirator, if rubber wash with detergent and warm water.

**Jurisdiction:**

ACT, NSW, QLD, SA, TAS, WA Only

**Additional Conditions:**

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

THIS PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Issued by

Delegated Officer