



**Australian Pesticides &
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE
OF A REGISTERED AGVET CHEMICAL PRODUCT**

PERMIT NUMBER -PER9853

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 9 JANUARY 2008 TO 31 MARCH 2010.

Permit Holder:

GROWCOM
Floor 1
385 St Pauls Terrace
FORTITUDE VALLEY QLD 4006

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

REGENT 200SC INSECTICIDE

PLUS OTHER REGISTERED PRODUCTS

Containing: 200 g/L Fipronil as their only active constituent.

TALSTAR 100 EC INSECTICIDE/MITICIDE

PLUS OTHER REGISTERED PRODUCTS

Containing: 100 g/L Bifenthrin as their only active constituent.

TALSTAR 250 EC INSECTICIDE/MITICIDE

PLUS OTHER REGISTERED PRODUCTS

Containing: 250 g/L Bifenthrin as their only active constituent.

Directions for Use:

Crop	Pest
Pineapple (Pre and Post plant)	Symphylids (<i>Hanseniella</i> spp.)
Rates of application:	
Pre-plant	
<u>Regent 200 SC:</u> Apply at a rate of 500mL product per hectare.	
OR	
<u>Talstar 100 EC:</u> Apply at a rate of 5L product per hectare.	
<u>Talstar 250 EC:</u> Apply at a rate of 2L product per hectare.	
Post-plant	
<u>Talstar 100 EC:</u> Apply at a rate of 1 L product per hectare.	
<u>Talstar 250 EC:</u> Apply at a rate of 400 mL product per hectare.	

Critical Use Comments:

DO NOT apply closer than 3 months before plant crop or ratoon crop harvest.

Apply using high volume nozzles (such as the Quick Turbo Floodjet range eg QCTF- SS120 nozzle) at appropriate pressures and spray rig speeds to achieve a spray volume of 3000- 6000L/ha.

Pre-plant

Regent 200SC - Apply one application at 500mL/ha as a spray to soil and incorporate to a depth of 200mm prior to planting.

Talstar 100 EC and Talstar 250 EC- Apply as a broadcast spray to the soil surface just prior to bedding up. Incorporate into the soil within 8 hours of application with a rotary hoe working to a depth of 15-20cm before bedding up.

Post-plant

Plant crop: Three months after initial application of fipronil prior to planting , apply *Talstar 100EC* at 1L/ha OR *Talstar 250EC* at 400 mL/ha as a high volume foliar drench. Repeated foliar applications should be made at 2-4 month intervals up to 3 months prior to the plant crop harvest.

Ratoon crop: Repeated foliar applications should be made at 2-4 month intervals up to 3 months prior to the ratoon crop harvest.

Withholding Period:

Harvest: Not required when used as directed.

Livestock Feeding: DO NOT feed failed crops to livestock.

Jurisdiction:

QLD only.

Additional Conditions:

DO NOT apply when there are aquatic and wetland areas including surface streams and rivers within 20 metres downwind of the application area.

THIS PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

Issued by

Delegated Officer

Note: permit amended 23 May 2008, to include Talstar 250EC Insecticide/Miticide (Permit Version 2).